

DOLPHIN SERIES

Fixed & Adjustable Fiber Optic Downlight Fixtures



- Fixed or adjustable downlights
- Recessed spring clip mounting
- Multiple lens options
- Multiple finish options
- Full photometrics using VLT Lux Calculator
- PMMA or glass fiber

Dolphin Series - Fixed and Adjustable Fiber Optic Downlight Fixtures

50MM Adjustable Focus Downlights

Specifications		CAT. NO. DL - ID - AD - 50 - PG -
	<p>Fiber Type: PMMA or Glass</p> <p>Fiber Sizes: 2.0mm, 3.0mm, 4.5mm, 6.0mm</p> <p>Ferrule Type: Indoor Ferrule</p> <p>Fixture Size: 50mm</p> <p>Lens Type: Plain Flat Glass Lens</p> <p>Focus: Adjustable</p> <p>Beam Angle: 54°</p> <p>Mounting: Recessed, Spring Clip</p> <p>Primary Material: Aluminum</p>	<p>Description: Dolphin Series (Roblon Classic Downlight Ø50 Wide Tiltable) adjustable-focus downlight with plain flat glass lens and 50mm outer diameter; 54° beam angle; accepts PMMA or glass fiber up to 6.0mm; recessed mounting with spring clips; multiple finishes available.</p> <p>Finishes Available: Silver (AL), Black (BL), Bronze (BZ), Gold Plated (GP), White (WH)</p>
	<p>Fiber Type: PMMA or Glass</p> <p>Fiber Sizes: 2.0mm, 3.0mm, 4.5mm, 6.0mm</p> <p>Ferrule Type: Indoor Ferrule</p> <p>Fixture Size: 50mm</p> <p>Lens Type: 26mm Domed Glass Lens</p> <p>Focus: Adjustable</p> <p>Beam Angle: 5° - 27°</p> <p>Mounting: Recessed, Spring Clip</p> <p>Primary Material: Aluminum</p>	<p>Description: Dolphin Series (Roblon Classic Downlight Ø50 Focus Tiltable) adjustable-focus downlight with 26mm domed glass lens and 50mm outer diameter; 5° - 27° beam angle (fiber size dependent); accepts PMMA or glass fiber up to 6.0mm; recessed mounting with spring clips; multiple finishes available.</p> <p>Finishes Available: Silver (AL), Black (BL), Bronze (BZ), Gold Plated (GP), White (WH)</p>
	<p>Fiber Type: PMMA or Glass</p> <p>Fiber Sizes: 8.0mm, 10.0mm</p> <p>Ferrule Type: Max Ferrule</p> <p>Fixture Size: 50mm</p> <p>Lens Type: Plain Flat Glass Lens</p> <p>Focus: Adjustable</p> <p>Beam Angle: 54°</p> <p>Mounting: Recessed, Spring Clip</p> <p>Primary Material: Aluminum</p>	<p>Description: Dolphin Series (Roblon Classic Downlight Max Ø50 Wide Tiltable) adjustable-focus downlight with plain flat glass lens and 50mm outer diameter; 54° beam angle; for use with 8.0mm through 10.0mm PMMA or glass fiber; recessed mounting with spring clips; multiple finishes available.</p> <p>Finishes Available: Silver (AL), Black (BL), Bronze (BZ), White (WH)</p>
	<p>Fiber Type: PMMA or Glass</p> <p>Fiber Sizes: 8.0mm, 10.0mm</p> <p>Ferrule Type: Max Ferrule</p> <p>Fixture Size: 50mm</p> <p>Lens Type: 26mm Domed Glass Lens</p> <p>Focus: Adjustable</p> <p>Beam Angle: 17° - 30°</p> <p>Mounting: Recessed, Spring Clip</p> <p>Primary Material: Aluminum</p>	<p>Description: Dolphin Series (Roblon Classic Downlight Max Ø50 Focus Tiltable) adjustable-focus downlight with 26mm domed glass lens and 50mm outer diameter; 17° - 30° beam angle (fiber size dependent); for use with 8.0mm through 10.0mm PMMA or glass fiber; recessed mounting with spring clips; multiple finishes available.</p> <p>Finishes Available: Silver (AL), Black (BL), Bronze (BZ), White (WH)</p>

Dolphin Series - Fixed and Adjustable Fiber Optic Downlight Fixtures

Specifications		CAT. NO. DL - ID - FX - 50 - PG -
	<p>Fiber Type: PMMA or Glass</p> <p>Fiber Sizes: 2.0mm, 3.0mm, 4.5mm, 6.0mm</p> <p>Ferrule Type: Indoor Ferrule</p> <p>Fixture Size: 50mm</p> <p>Lens Type: Plain Flat Glass Lens</p> <p>Focus: Fixed</p> <p>Beam Angle: 54°</p> <p>Mounting: Recessed, Spring Clip</p> <p>Primary Material: Aluminum</p>	<p>Description: Dolphin Series (Roblon Classic Downlight Ø50 Wide Tiltable) fixed-focus downlight with plain flat glass lens and 50mm outer diameter; 54° beam angle; accepts PMMA or glass fiber up to 6.0mm; recessed mounting with spring clips; multiple finishes available.</p> <p>Finishes Available: Silver (AL), Black (BL), Bronze (BZ), Gold Plated (GP), White (WH)</p>
	<p>Fiber Type: PMMA or Glass</p> <p>Fiber Sizes: 2.0mm, 3.0mm, 4.5mm, 6.0mm</p> <p>Ferrule Type: Indoor Ferrule</p> <p>Fixture Size: 50mm</p> <p>Lens Type: 26mm Domed Glass Lens</p> <p>Focus: Fixed</p> <p>Beam Angle: 5° - 27°</p> <p>Mounting: Recessed, Spring Clip</p> <p>Primary Material: Aluminum</p>	<p>Description: Dolphin Series (Roblon Classic Downlight Ø50 Focus Tiltable) fixed-focus downlight with 26mm domed glass lens and 50mm outer diameter; 5° - 27° beam angle (fiber size dependent); accepts PMMA or glass fiber up to 6.0mm; recessed mounting with spring clips; multiple finishes available.</p> <p>Finishes Available: Silver (AL), Black (BL), Bronze (BZ), Gold Plated (GP), White (WH)</p>
	<p>Fiber Type: PMMA or Glass</p> <p>Fiber Sizes: 8.0mm, 10.0mm</p> <p>Ferrule Type: Max Ferrule</p> <p>Fixture Size: 50mm</p> <p>Lens Type: Plain Flat Glass Lens</p> <p>Focus: Adjustable</p> <p>Beam Angle: 54°</p> <p>Mounting: Recessed, Spring Clip</p> <p>Primary Material: Aluminum</p>	<p>Description: Dolphin Series (Roblon Classic Downlight Max Ø50 Wide Tiltable) adjustable-focus downlight with plain flat glass lens and 50mm outer diameter; 54° beam angle; for use with 8.0mm through 10.0mm PMMA or glass fiber; recessed mounting with spring clips; multiple finishes available.</p> <p>Finishes Available: Silver (AL), Black (BL), Bronze (BZ), White (WH)</p>
	<p>Fiber Type: PMMA or Glass</p> <p>Fiber Sizes: 8.0mm, 10.0mm</p> <p>Ferrule Type: Max Ferrule</p> <p>Fixture Size: 50mm</p> <p>Lens Type: 26mm Domed Glass Lens</p> <p>Focus: Fixed</p> <p>Beam Angle: 17° - 30°</p> <p>Mounting: Recessed, Spring Clip</p> <p>Primary Material: Aluminum</p>	<p>Description: Dolphin Series (Roblon Classic Downlight Max Ø50 Focus) fixed-focus downlight with 26mm domed glass lens and 50mm outer diameter; 17° - 30° beam angle (fiber size dependent); for use with 8.0mm through 10.0mm PMMA or glass fiber; recessed mounting with spring clips; multiple finishes available.</p> <p>Finishes Available: Silver (AL), Black (BL), Bronze (BZ), White (WH)</p>

AL
BL
BZ
GP
WH



AL
BL
BZ
GP
WH

AL
BL
BZ
WH

AL
BL
BZ
WH

Dolphin Series - Fixed and Adjustable Fiber Optic Downlight Fixtures

32MM Adjustable Focus Downlights

Specifications		CAT. NO. DL - ID - AD - 32 - PG -
	<p>Fiber Type: PMMA or Glass</p> <p>Fiber Sizes: 2.0mm, 3.0mm, 4.5mm, 6.0mm</p> <p>Ferrule Type: Indoor Ferrule</p> <p>Fixture Size: 32mm</p> <p>Lens Type: Plain Flat Glass Lens</p> <p>Focus: Adjustable</p> <p>Beam Angle: 54°</p> <p>Mounting: Recessed, Spring Clip</p> <p>Primary Material: Aluminum</p>	<p>Description: Dolphin Series (Roblon Classic Downlight Ø32 Wide Tiltable) adjustable-focus downlight with plain flat glass lens and 32mm outer diameter; 54° beam angle; accepts PMMA or glass fiber up to 6.0mm; recessed mounting with spring clips; multiple finishes available.</p> <p>Finishes Available: Silver (AL), Black (BL), Bronze (BZ), Gold Plated (GP), White (WH)</p>
	<p>Fiber Type: PMMA or Glass</p> <p>Fiber Sizes: 2.0mm, 3.0mm, 4.5mm, 6.0mm</p> <p>Ferrule Type: Indoor Ferrule</p> <p>Fixture Size: 32mm</p> <p>Lens Type: 12mm Domed Glass Lens</p> <p>Focus: Adjustable</p> <p>Beam Angle: 11° - 36°</p> <p>Mounting: Recessed, Spring Clip</p> <p>Primary Material: Aluminum</p>	<p>Description: Dolphin Series (Roblon Classic Downlight Ø32 Medium Tiltable) adjustable-focus downlight with 12mm domed glass lens and 32mm outer diameter; 11° - 36° beam angle (fiber size dependent); accepts PMMA or glass fiber up to 6.0mm; recessed mounting with spring clips; multiple finishes</p> <p>Finishes Available: Silver (AL), Black (BL), Bronze (BZ), Gold Plated (GP), White (WH)</p>

AL
BL
BZ
GP
WH

AL
BL
BZ
GP
WH