






FIBER TERMINATION ACCESSORIES



Accessories - Fiber Termination

The Ferrule Terminations shown here are non-standard terminations for specialty applications and may or may not be used in conjunction with a fiber optic fixture. For a list of all ferrule terminations, please download cutsheet #8023.

	Specifications	CAT. NO. SVC - FT - SS - 6
	<p>Service: Stainless Steel Termination Fiber Type: PMMA or Glass Fiber Sizes: 2.0mm, 3.0mm, 4.5mm, 6.0mm</p>	<p>Description: Cutting and termination of 2.0mm - 6.0mm fiber optic cable into Stainless Steel Ferrule; includes gluing and polishing for maximum output (ferrule included).</p>
	Specifications	CAT. NO. SVC - FT - SS - 10
	<p>Service: Stainless Steel Termination Fiber Type: PMMA or Glass Fiber Sizes: 8.0mm, 9.0mm, 10.0mm</p>	<p>Description: Cutting and termination of 8.0mm - 10.0mm fiber optic cable into Stainless Steel Ferrule; includes gluing and polishing for maximum output (ferrule included).</p>
	Specifications	CAT. NO. SVC - FT - RA - 2 3
	<p>Service: Right Angle Termination Fiber Type: PMMA or Glass Fiber Sizes: 2.0mm, 3.0mm, 4.5mm, 6.0mm</p>	<p>Description: Cutting and termination of 2.0mm - 3.0mm fiber optic cable into Right Angle Ferrule; includes gluing and polishing for maximum output (ferrule included).</p>
	Specifications	CAT. NO. SVC - FT - RA - 4.5
	<p>Service: Right Angle Termination Fiber Type: PMMA or Glass Fiber Sizes: 4.5mm</p>	<p>Description: Cutting and termination of 4.5mm fiber optic cable into Right Angle Ferrule; includes gluing and polishing for maximum output (ferrule included).</p>

Accessories - Fiber Termination

Specifications	CAT. NO. SVC - FT - ST -
<p>Service: Star Termination Fiber Type: PMMA or Glass Fiber Sizes: 1.0mm, 1.5mm, 2.0mm, 3.0mm, 4.5mm, 6.0mm</p>	<p>Description: Cutting and termination of 1.0mm - 6.0mm fiber optic cable into Star Ferrule; includes gluing and polishing of end to a 45° cone (ferrule included).</p> <p>Fiber Sizes: 1.0mm, 1.5mm, 2.0mm, 3.0mm, 4.5mm, 6.0mm</p>

- 1
- 1.5
- 2
- 3
- 4.5
- 6

Specifications	CAT. NO. SVC - FT - WR -
<p>Service: Water Termination Fiber Type: PMMA or Glass Fiber Sizes: 2.0mm, 3.0mm, 4.5mm, 6.0mm</p>	<p>Description: Cutting and termination of 1.0mm - 6.0mm fiber optic cable into acrylic Water Termination Ferrule; includes gluing and polishing for maximum output (ferrule included).</p> <p>Fiber Sizes: 1.0mm, 1.5mm, 2.0mm, 3.0mm, 4.5mm, 6.0mm</p>

- 1
- 1.5
- 2
- 3
- 4.5
- 6

Specifications	CAT. NO. SVC - FT - AS -															
<table border="1" style="margin-left: 20px;"> <thead> <tr> <th>Fiber</th> <th>Ø "X"</th> <th>Ø "Y"</th> </tr> </thead> <tbody> <tr> <td>Ø1</td> <td>2.2mm</td> <td>5.3mm</td> </tr> <tr> <td>Ø1.5</td> <td>2.7mm</td> <td>5.8mm</td> </tr> <tr> <td>Ø2</td> <td>3.9mm</td> <td>7mm</td> </tr> <tr> <td>Ø3</td> <td>4.9mm</td> <td>8mm</td> </tr> </tbody> </table> <p>Service: Acrylic Star Tube Termination Fiber Type: PMMA Fiber Sizes: 1.0mm, 1.5mm, 2.0mm, 3.0mm</p>	Fiber	Ø "X"	Ø "Y"	Ø1	2.2mm	5.3mm	Ø1.5	2.7mm	5.8mm	Ø2	3.9mm	7mm	Ø3	4.9mm	8mm	<p>Description: Cutting and termination of 1.0mm - 3.0mm fiber optic cable into acrylic star tube fixture; typically for use in poured concrete or tiled pools; acrylic tube is cut flush with surface after installation.</p> <p>Fiber Sizes: 1.0mm, 1.5mm, 2.0mm, 3.0mm, 4.5mm, 6.0mm</p>
Fiber	Ø "X"	Ø "Y"														
Ø1	2.2mm	5.3mm														
Ø1.5	2.7mm	5.8mm														
Ø2	3.9mm	7mm														
Ø3	4.9mm	8mm														

- 1
- 1.5
- 2
- 3
- 4.5
- 6