

FIXTURE LENGTH & WATTAGE TABLE - ML1, 1S, 4SL, 1QL, 1R, 2RL & 1EL

Use Code numbers below to specify fixture lengths for ML1, 1S, 4SL, 1QL, 1R, 2RL and 1EL extrusions.

A finished fixture length that differs from these lengths would be considered a Custom Length. Custom length fixtures have a finished length (including end caps) exactly as specified; an LED board that is the next size down is centered in the custom length fixture. Please contact factory for more information.

LED fixtures have a generous field angle, so a fixture does not need to extend the full length of a cabinet, shelf or display case for the area to be fully lit. Custom fixtures are most often used where the fixture is visible and an exact length is desired for aesthetic reasons. (Field Angle may be affected by lensing choice).

STANDARD PITCH FIXTURE LENGTHS (ML1, 1S, 4SL, 1QL, 1R, 2RL, 1EL)										
		STANDARD					HI CRI			ULTRA HI CRI
CODE	FINISHED FIXTURE	1720	2730	4740	5760	6760	3720	3740	3760	3790
4	4.72" [120mm]	0.6w	1.0w	1.2w	1.6w	2.2w	0.6w	1.2w	1.7w	2.3w
8	8.66" [220mm]	1.2w	1.9w	2.5w	3.3w	4.3w	1.2w	2.3w	3.5w	4.6w
12	12.60" [320mm]	1.8w	2.9w	3.7w	4.9w	6.5w	1.8w	3.5w	5.2w	6.9w
16	16.54" [420mm]	2.4w	3.9w	4.9w	6.5w	8.7w	2.3w	4.7w	6.9w	9.2w
20	20.47" [520mm]	3.0w	4.8w	6.2w	8.2w	10.8w	2.9w	5.8w	8.7w	11.5w
24	24.41" [620mm]	3.6w	5.8w	7.4w	9.8w	13.0w	3.5w	7.0w	10.4w	13.8w
28	28.35" [720mm]	4.2w	6.8w	8.6w	11.4w	15.2w	4.1w	8.2w	12.1w	16.1w
32	32.28" [820mm]	4.8w	7.7w	9.9w	13.1w	17.3w	4.7w	9.3w	13.9w	18.4w
36	36.22" [920mm]	5.4w	8.7w	11.1w	14.7w	19.5w	5.3w	10.5w	15.6w	20.7w
40	40.16" [1020mm]	6.0w	9.7w	12.3w	16.3w	21.7w	5.8w	11.7w	17.3w	23.0w
44	44.09" [1120mm]	6.6w	10.6w	13.6w	18.0w	23.8w	6.4w	12.8w	19.1w	25.3w
48	48.03" [1220mm]	7.2w	11.6w	14.8w	19.6w	26.0w	7.0w	14.0w	20.8w	27.6w
52	51.97" [1320mm]	7.8w	12.6w	16.0w	21.2w	28.2w	7.6w	15.2w	22.5w	29.9w
56	55.91" [1420mm]	8.4w	13.5w	17.3w	22.9w	30.3w	8.2w	16.3w	24.3w	32.2w
60	59.84" [1520mm]	9.0w	14.5w	18.5w	24.5w	32.5w	8.8w	17.5w	26.0w	34.5w
64	63.78" [1620mm]	9.6w	15.5w	19.7w	26.1w	34.7w	9.3w	18.7w	27.7w	36.8w
68	67.72" [1720mm]	10.2w	16.4w	21.0w	27.8w	36.8w	9.9w	19.8w	29.5w	39.1w
72	71.65" [1820mm]	10.8w	17.4w	22.2w	29.4w	39.0w	10.5w	21.0w	31.2w	41.4w
76	75.59" [1920mm]	11.4w	18.4w	23.4w	31.0w	41.2w	11.1w	22.2w	32.9w	43.7w
80	79.53" [2020mm]	12.0w	19.3w	24.7w	32.7w	43.3w	11.7w	23.3w	34.7w	46.0w
84	83.46" [2120mm]	12.6w	20.3w	25.9w	34.3w	45.5w	12.3w	24.5w	36.4w	48.3w
88	87.40" [2220mm]	13.2w	21.3w	27.1w	35.9w	47.7w	12.8w	25.7w	38.1w	50.6w
92	91.34" [2320mm]	13.8w	22.2w	28.4w	37.6w	49.8w	13.4w	26.8w	39.9w	52.9w
96	95.28" [2420mm]	14.4w	23.2w	29.6w	39.2w	52.0w	14.0w	28.0w	41.6w	55.2w

FIXTURE LENGTH & WATTAGE TABLE - 7SL, 8SL, 8CL, 8FL*, 9SL, 3RL & 2QL

Use Code numbers below to specify fixture lengths for 7SL, 8SL, 8CL, 8FL*, 9SL, 3RL & 2QL extrusions.

STANDARD PITCH FIXTURE LENGTHS FOR 7SL, 8SL, 8CL, 8FL*, 9SL, 3RL & 2QL EXTRUSIONS ONLY													
Add .25" [6.35mm] for 8FL		STANDARD					HI CRI			ULTRA HI CRI	DUAL		
CODE	FINISHED FIXTURE	1720	2730	4740	5760	6760	3720	3740	3760	3790	3760D	6760D	3790D
4	4.29" [109mm]	0.6w	1.0w	1.2w	1.6w	2.2w	0.6w	1.2w	1.7w	2.3w	3.5w	4.3w	4.6w
8	8.23" [209mm]	1.2w	1.9w	2.5w	3.3w	4.3w	1.2w	2.3w	3.5w	4.6w	6.9w	8.7w	9.2w
12	12.17" [309mm]	1.8w	2.9w	3.7w	4.9w	6.5w	1.8w	3.5w	5.2w	6.9w	10.4w	13.0w	13.8w
16	16.10" [409mm]	2.4w	3.9w	4.9w	6.5w	8.7w	2.3w	4.7w	6.9w	9.2w	13.9w	17.3w	18.4w
20	20.04" [509mm]	3.0w	4.8w	6.2w	8.2w	10.8w	2.9w	5.8w	8.7w	11.5w	17.3w	21.7w	23.0w
24	23.98" [609mm]	3.6w	5.8w	7.4w	9.8w	13.0w	3.5w	7.0w	10.4w	13.8w	20.8w	26.0w	27.6w
28	27.91" [709mm]	4.2w	6.8w	8.6w	11.4w	15.2w	4.1w	8.2w	12.1w	16.1w	24.3w	30.3w	32.2w
32	31.85" [809mm]	4.8w	7.7w	9.9w	13.1w	17.3w	4.7w	9.3w	13.9w	18.4w	27.7w	34.7w	36.8w
36	35.79" [909mm]	5.4w	8.7w	11.1w	14.7w	19.5w	5.3w	10.5w	15.6w	20.7w	31.2w	39.0w	41.4w
40	39.72" [1009mm]	6.0w	9.7w	12.3w	16.3w	21.7w	5.8w	11.7w	17.3w	23.0w	34.7w	43.3w	46.0w
44	43.66" [1109mm]	6.6w	10.6w	13.6w	18.0w	23.8w	6.4w	12.8w	19.1w	25.3w	38.1w	47.7w	50.6w
48	47.60" [1209mm]	7.2w	11.6w	14.8w	19.6w	26.0w	7.0w	14.0w	20.8w	27.6w	41.6w	52.0w	55.2w
52	51.54" [1309mm]	7.8w	12.6w	16.0w	21.2w	28.2w	7.6w	15.2w	22.5w	29.9w	45.1w	56.3w	59.8w
56	55.47" [1409mm]	8.4w	13.5w	17.3w	22.9w	30.3w	8.2w	16.3w	24.3w	32.2w	48.5w	60.7w	64.4w
60	59.41" [1509mm]	9.0w	14.5w	18.5w	24.5w	32.5w	8.8w	17.5w	26.0w	34.5w	52.0w	65.0w	69.0w
64	63.35" [1609mm]	9.6w	15.5w	19.7w	26.1w	34.7w	9.3w	18.7w	27.7w	36.8w	55.5w	69.3w	73.6w
68	67.28" [1709mm]	10.2w	16.4w	21.0w	27.8w	36.8w	9.9w	19.8w	29.5w	39.1w	58.9w	73.7w	78.2w
72	71.22" [1809mm]	10.8w	17.4w	22.2w	29.4w	39.0w	10.5w	21.0w	31.2w	41.4w	62.4w	78.0w	82.8w
76	75.16" [1909mm]	11.4w	18.4w	23.4w	31.0w	41.2w	11.1w	22.2w	32.9w	43.7w	65.9w	82.3w	87.4w
80	79.09" [2009mm]	12.0w	19.3w	24.7w	32.7w	43.3w	11.7w	23.3w	34.7w	46.0w	69.3w	86.7w	92.0w
84	83.03" [2109mm]	12.6w	20.3w	25.9w	34.3w	45.5w	12.3w	24.5w	36.4w	48.3w	72.8w	91.0w	96.6w
88	86.97" [2209mm]	13.2w	21.3w	27.1w	35.9w	47.7w	12.8w	25.7w	38.1w	50.6w	76.3w		
92	90.91" [2309mm]	13.8w	22.2w	28.4w	37.6w	49.8w	13.4w	26.8w	39.9w	52.9w	79.7w		
96	94.84" [2409mm]	14.4w	23.2w	29.6w	39.2w	52.0w	14.0w	28.0w	41.6w	55.2w	83.2w		
100	98.78" [2509mm]	15.0w	24.2w	30.8w	40.8w	54.2w	14.6w	29.2w	43.3w	57.5w	86.7w		
104	102.72" [2609mm]	15.6w	25.1w	32.1w	42.5w	56.3w	15.2w	30.3w	45.1w	59.8w	90.1w		
108	106.65" [2709mm]	16.2w	26.1w	33.3w	44.1w	58.5w	15.8w	31.5w	46.8w	62.1w			
112	110.59" [2809mm]	16.8w	27.1w	34.5w	45.7w	60.7w	16.3w	32.7w	48.5w	64.4w			
116	114.53" [2909mm]	17.4w	28.0w	35.8w	47.4w	62.8w	16.9w	33.8w	50.3w	66.7w			
120	118.47" [3009mm]	18.0w	29.0w	37.0w	49.0w	65.0w	17.5w	35.0w	52.0w	69.0w			
124	122.40" [3109mm]	18.6w	30.0w	38.2w	50.6w	67.2w	18.1w	36.2w	53.7w	71.3w			
128	126.34" [3209mm]	19.2w	30.9w	39.5w	52.3w	69.3w	18.7w	37.3w	55.5w	73.6w			
132	130.28" [3309mm]	19.8w	31.9w	40.7w	53.9w	71.5w	19.3w	38.5w	57.2w	75.9w			
136	134.21" [3409mm]	20.4w	32.9w	41.9w	55.5w	73.7w	19.8w	39.7w	58.9w	78.2w			
140	138.15" [3509mm]	21.0w	33.8w	43.2w	57.2w	75.8w	20.4w	40.8w	60.7w	80.5w			
144	142.09" [3609mm]	21.6w	34.8w	44.4w	58.8w	78.0w	21.0w	42.0w	62.4w	82.8w			
148	146.02" [3709mm]	22.2w	35.8w	45.6w	60.4w	80.2w	21.6w	43.2w	64.1w	85.1w			

*For 8FL fixtures only, add 0.22" [5.6mm] to Finished Fixture Length for overall length including flange.

FIXTURE LENGTH & WATTAGE TABLE - PITCHLESS LED BOARDS ONLY

Use Code numbers below to specify fixtures using Pitchless LED boards.

FIXTURE LENGTHS ML1, MLR, 1S, 4SL, 1QL, 1R, 2RL & 1EL											
CODE	FINISHED FIXTURE	PITCHLESS STANDARD			PITCHLESS HI CRI			ULTRA HI CRI	PITCHLESS DUAL COLOR	PITCHLESS NARROW FOCUS	
		5140	5160	5180	3140	3160	3180	3190	7180	5133	5163
4	4.65" [118mm]	0.7w	1.4w	2.3w	0.7w	1.4w	2.3w	2.3w	2.3w	1.1w	2.2w
8	8.50" [216mm]	1.5w	2.9w	4.6w	1.5w	2.9w	4.6w	4.6w	4.6w	2.3w	4.4w
12	12.36" [314mm]	2.2w	4.3w	6.9w	2.2w	4.3w	6.9w	6.9w	6.9w	3.4w	6.6w
16	16.22" [412mm]	2.9w	5.7w	9.2w	2.9w	5.7w	9.2w	9.2w	9.2w	4.5w	8.8w
20	20.07" [510mm]	3.7w	7.2w	11.5w	3.7w	7.2w	11.5w	11.5w	11.5w	5.7w	11.0w
24	23.94" [608mm]	4.4w	8.6w	13.8w	4.4w	8.6w	13.8w	13.8w	13.8w	6.8w	13.2w
28	27.80" [706mm]	5.1w	10.0w	16.1w	5.1w	10.0w	16.1w	16.1w	16.1w	7.9w	15.4w
32	31.65" [804mm]	5.9w	11.5w	18.4w	5.9w	11.5w	18.4w	18.4w	18.4w	9.1w	17.6w
36	35.51" [902mm]	6.6w	12.9w	20.7w	6.6w	12.9w	20.7w	20.7w	20.7w	10.2w	19.8w
40	39.37" [1000mm]	7.3w	14.3w	23.0w	7.3w	14.3w	23.0w	23.0w	23.0w	11.3w	22.0w
44	43.22" [1098mm]	8.1w	15.8w	25.3w	8.1w	15.8w	25.3w	25.3w	25.3w	12.5w	24.2w
48	47.08" [1196mm]	8.8w	17.2w	27.6w	8.8w	17.2w	27.6w	27.6w	27.6w	13.6w	26.4w
52	50.94" [1294mm]	9.6w	18.6w	29.9w	9.6w	18.6w	29.9w	29.9w	29.9w	14.7w	28.6w
56	54.80" [1392mm]	10.3w	20.0w	32.2w	10.3w	20.0w	32.2w	32.2w	32.2w	15.9w	30.8w
60	58.66" [1490mm]	11.0w	21.5w	34.5w	11.0w	21.5w	34.5w	34.5w	34.5w	17.0w	33.0w
64	62.51" [1588mm]	11.8w	22.9w	36.8w	11.8w	22.9w	36.8w	36.8w	36.8w	18.1w	35.2w
68	66.37" [1686mm]	12.5w	24.4w	39.1w	12.5w	24.4w	39.1w	39.1w	39.1w	19.3w	37.4w
72	70.23" [1784mm]	13.2w	25.8w	41.4w	13.2w	25.8w	41.4w	41.4w	41.4w	20.4w	39.6w
76	74.09" [1882mm]	13.9w	27.2w	43.7w	13.9w	27.2w	43.7w	43.7w	43.7w	21.5w	41.8w
80	77.95" [1980mm]	14.7w	28.7w	46.0w	14.7w	28.7w	46.0w	46.0w	46.0w	22.7w	44.0w
84	81.81" [2078mm]	15.5w	30.1w	48.3w	15.5w	30.1w	48.3w	48.3w	48.3w	23.8w	46.2w
88	85.67" [2176mm]	16.2w	31.5w	50.6w	16.2w	31.5w	50.6w	50.6w	50.6w	24.9w	48.4w
92	89.53" [2274mm]	16.9w	33.0w	52.9w	16.9w	33.0w	52.9w	52.9w	52.9w	26.1w	50.6w
96	93.39" [2372mm]	17.8w	34.4w	55.2w	17.8w	34.4w	55.2w	55.2w	55.2w	27.2w	52.8w

FIXTURE LENGTH & WATTAGE TABLE - PITCHLESS LED BOARDS ONLY

Use Code numbers below to specify fixtures using Pitchless LED boards.

FIXTURE LENGTHS 7SL, 8SL, 8CL, 8FL*, 9SL, 3RL & 2QL ONLY											
		PITCHLESS STANDARD			PITCHLESS HI CRI			ULTRA HI CRI	PITCHLESS DUAL COLOR	PITCHLESS NARROW FOCUS	
CODE	FINISHED FIXTURE	5140	5160	5180	3140	3160	3180	3190	7180	5133	5163
4	4.21" [107mm]	0.7w	1.4w	2.3w	0.7w	1.4w	2.3w	2.3w	2.3w	1.1w	2.2w
8	8.07" [205mm]	1.5w	2.9w	4.6w	1.5w	2.9w	4.6w	4.6w	4.6w	2.3w	4.4w
12	11.93" [303mm]	2.2w	4.3w	6.9w	2.2w	4.3w	6.9w	6.9w	6.9w	3.4w	6.6w
16	15.79" [401mm]	2.9w	5.7w	9.2w	2.9w	5.7w	9.2w	9.2w	9.2w	4.5w	8.8w
20	19.65" [499mm]	3.7w	7.2w	11.5w	3.7w	7.2w	11.5w	11.5w	11.5w	5.7w	11.0w
24	23.50" [597mm]	4.4w	8.6w	13.8w	4.4w	8.6w	13.8w	13.8w	13.8w	6.8w	13.2w
28	27.36" [695mm]	5.1w	10.0w	16.1w	5.1w	10.0w	16.1w	16.1w	16.1w	7.9w	15.4w
32	31.22" [793mm]	5.9w	11.5w	18.4w	5.9w	11.5w	18.4w	18.4w	18.4w	9.1w	17.6w
36	35.01" [891mm]	6.6w	12.9w	20.7w	6.6w	12.9w	20.7w	20.7w	20.7w	10.2w	19.8w
40	38.94" [989mm]	7.3w	14.3w	23.0w	7.3w	14.3w	23.0w	23.0w	23.0w	11.3w	22.0w
44	42.80" [1087mm]	8.1w	15.8w	25.3w	8.1w	15.8w	25.3w	25.3w	25.3w	12.5w	24.2w
48	46.65" [1185mm]	8.8w	17.2w	27.6w	8.8w	17.2w	27.6w	27.6w	27.6w	13.6w	26.4w
52	50.51" [1283mm]	9.6w	18.6w	29.9w	9.6w	18.6w	29.9w	29.9w	29.9w	14.7w	28.6w
56	54.37" [1381mm]	10.3w	20.0w	32.2w	10.3w	20.0w	32.2w	32.2w	32.2w	15.9w	30.8w
60	58.23" [1479mm]	11.0w	21.5w	34.5w	11.0w	21.5w	34.5w	34.5w	34.5w	17.0w	33.0w
64	62.01" [1577mm]	11.8w	22.9w	36.8w	11.8w	22.9w	36.8w	36.8w	36.8w	18.1w	35.2w
68	65.95" [1675mm]	12.5w	24.4w	39.1w	12.5w	24.4w	39.1w	39.1w	39.1w	19.3w	37.4w
72	69.80" [1773mm]	13.2w	25.8w	41.4w	13.2w	25.8w	41.4w	41.4w	41.4w	20.4w	39.6w
76	73.66" [1871mm]	13.9w	27.2w	43.7w	13.9w	27.2w	43.7w	43.7w	43.7w	21.5w	41.8w
80	77.52" [1969mm]	14.7w	28.7w	46.0w	14.7w	28.7w	46.0w	46.0w	46.0w	22.7w	44.0w
84	81.38" [2067mm]	15.5w	30.1w	48.3w	15.5w	30.1w	48.3w	48.3w	48.3w	23.8w	46.2w
88	85.24" [2165mm]	16.2w	31.5w	50.6w	16.2w	31.5w	50.6w	50.6w	50.6w	24.9w	48.4w
92	89.09" [2263mm]	16.9w	33.0w	52.9w	16.9w	33.0w	52.9w	52.9w	52.9w	26.1w	50.6w
96	92.95" [2361mm]	17.8w	34.4w	55.2w	17.8w	34.4w	55.2w	55.2w	55.2w	27.2w	52.8w
100	96.81" [2459mm]	18.3w	35.9w	57.5w	18.3w	35.9w	57.5w	57.5w	57.5w	28.3w	55.0w
104	100.67" [2557mm]	19.1w	37.3w	59.8w	19.1w	37.3w	59.8w	59.8w	59.8w	29.5w	57.2w
108	104.53" [2655mm]	19.8w	38.7w	62.1w	19.8w	38.7w	62.1w	62.1w	62.1w	30.6w	59.4w
112	108.39" [2753mm]	20.5w	40.1w	64.4w	20.5w	40.1w	64.4w	64.4w	64.4w	31.7w	61.6w
116	112.24" [2851mm]	21.3w	41.6w	66.7w	21.3w	41.6w	66.7w	66.7w	66.7w	32.9w	63.8w
120	116.10" [2949mm]	22.0w	43.0w	69.0w	22.0w	43.0w	69.0w	69.0w	69.0w	34.0w	66.0w
124	119.96" [3047mm]	22.7w	44.4w	71.3w	22.7w	44.4w	71.3w	71.3w	71.3w	35.1w	68.2w
128	123.82" [3145mm]	23.5w	45.9w	73.6w	23.5w	45.9w	73.6w	73.6w	73.6w	36.3w	70.4w
132	127.68" [3243mm]	24.2w	47.3w	75.9w	24.2w	47.3w	75.9w	75.9w	75.9w	37.4w	72.6w
136	131.54" [3341mm]	24.9w	48.7w	78.2w	24.9w	48.7w	78.2w	78.2w	78.2w	38.5w	74.8w
140	135.39" [3439mm]	25.7w	50.2w	80.5w	25.7w	50.2w	80.5w	80.5w	80.5w	39.7w	77.0w
144	139.25" [3537mm]	26.4w	51.6w	82.8w	26.4w	51.6w	82.8w	82.8w	82.8w	40.8w	79.2w
148	143.11" [3635mm]	27.1w	53.0w	85.1w	27.1w	53.0w	85.1w	85.1w	85.1w	41.9w	81.4w

*For 8FL fixtures only, add 0.22" [5.6mm] to Finished Fixture Length for overall length including flange.

FIXTURE LENGTH & WATTAGE TABLE - 5SLW

Use Code numbers below to specify finished fixture length.

5SLW FIXTURE LENGTHS										
CODE	FINISHED FIXTURE	STANDARD					HI CRI			ULTRA HI CRI
		1720	2730	4740	5760	6760	3720	3740	3760	3790
4	5.36" [136mm]	0.6w	1.0w	1.2w	1.6w	2.2w	0.6w	1.2w	1.7w	2.3w
8	9.30" [236mm]	1.2w	0.0w	2.5w	3.3w	4.3w	1.2w	2.3w	3.5w	4.6w
12	13.23" [336mm]	1.8w	2.9w	3.7w	4.9w	6.5w	1.8w	3.5w	5.2w	6.9w
16	17.17" [436mm]	2.4w	3.9w	9.9w	6.5w	8.7w	2.3w	4.7w	6.9w	9.2w
20	21.11" [536mm]	3.0w	4.8w	6.2w	8.2w	10.8w	2.9w	5.8w	8.7w	11.5w
24	25.04" [636mm]	3.6w	5.8w	7.4w	9.8w	13.0w	3.5w	7.0w	10.4w	13.8w
28	28.98" [736mm]	4.2w	6.8w	8.6w	11.4w	15.2w	4.1w	8.2w	12.1w	16.1w
32	32.92" [836mm]	4.8w	7.7w	9.9w	13.1w	17.3w	4.7w	9.3w	13.9w	18.4w
36	36.86" [936mm]	5.4w	8.7w	11.1w	14.7w	19.5w	5.3w	10.5w	15.6w	20.7w
40	40.79" [1036mm]	6.0w	9.7w	12.3w	16.3w	21.7w	5.8w	11.7w	17.3w	23.0w
44	44.73" [1136mm]	6.6w	10.6w	13.6w	18.0w	23.8w	6.4w	12.8w	19.1w	25.3w
48	48.67" [1236mm]	7.2w	11.6w	14.8w	19.6w	26.0w	7.0w	14.0w	20.8w	27.6w
52	52.60" [1336mm]	7.8w	12.6w	16.0w	21.2w	28.2w	7.6w	15.2w	22.5w	29.9w
56	56.54" [1436mm]	8.4w	13.5w	17.3w	22.9w	30.3w	8.2w	16.3w	24.3w	32.2w
60	60.48" [1536mm]	13.4w	9.0w	14.5w	24.5w	32.5w	8.8w	17.5w	26.0w	34.5w
64	64.41" [1636mm]	9.6w	15.5w	19.7w	26.1w	34.7w	9.3w	18.7w	27.7w	36.8w
68	68.35" [1736mm]	10.2w	16.4w	21.0w	27.8w	36.8w	9.9w	19.8w	29.5w	39.1w
72	72.29" [1836mm]	10.8w	17.4w	22.2w	29.4w	39.0w	10.5w	21.0w	31.2w	41.4w

5SLW FIXTURE LENGTHS			
PITCHLESS Boards Only			
CODE	FINISHED FIXTURE	5133	5163
4	5.28" [134mm]	1.1w	2.2w
8	9.14" [232mm]	2.3w	4.4w
12	13.00" [330mm]	3.4w	6.6w
16	16.86" [428mm]	4.5w	8.8w
20	20.71" [526mm]	5.7w	11.0w
24	24.57" [624mm]	6.8w	13.2w
28	28.43" [722mm]	7.9w	15.4w
32	32.29" [820mm]	9.1w	17.6w
36	36.15" [918mm]	10.2w	19.8w
40	40.00" [1016mm]	11.3w	22.0w
44	43.86" [1114mm]	12.5w	24.2w
48	47.72" [1212mm]	13.6w	26.4w
52	51.58" [1310mm]	14.7w	28.6w
56	55.44" [1408mm]	15.9w	30.8w
60	59.30" [1506mm]	17.0w	33.0w
64	63.15" [1604mm]	18.1w	35.2w
68	67.01" [1702mm]	19.3w	37.4w
72	70.87" [1800mm]	20.4w	39.6w