
NOTE SERIES Compact Accent Fixtures



- Three compact profiles
- Precision optical design
- Multiple beam angles
- · Asymmetrical version and a unique decorative version
- Black, white and chrome finishes
- · Accepts all fiber sizes
- Ideal for elegant lighting accents

Note Series - Compact Accent Fixtures



Specifications

Fiber Type: PMMA or Glass Fiber Sizes: 2.0mm Ferrule Type: Micro Ferrule Fixture Size: 14mm Lens Type: No Lens Beam Angle: 54° Tilt Angle: up to 50° Mounting: Recessed, Spring Clip Weight: 0.1 kg (0.22 lbs) Primary Material: Aluminum

Specifications

Fiber Type: PMMA or Glass Fiber Sizes: 2.0mm Lens Type: 7mm Domed Glass Lens Tilt Angle: up to 50° Mounting: Recessed, Tension Clip Weight: 0.1 kg (0.22 lbs)

CAT. NO. NO - MC - 1 - 14 - NL -

BL wн CH

Description:

Note Series (Roblon size 1 Wide) compact, fixedfocus accent fixture with no lens and 14mm outer diameter; wide 54° beam angle; for use with 2.0mm PMMA or glass fiber; recessed mounting with tension clips.

Finishes Available:

Black (BL), White (WH), Chrome (CH)

CAT. NO. NO - MC - 1 - 14 - 7M -BL wн СН

CUTOUT 11mm [.413] -11 [8mm [0.709] mm [0.138] 14mm [0.551]

VIT

Ferrule Type: Micro Ferrule Fixture Size: 14mm Beam Angle: 32° Primary Material: UV-stable Thermoplastic


Description:

Note Series (Roblon size 1 Medium) compact, fixed-focus accent fixture with 7mm domed glass lens and 14mm outer diameter; medium 32° beam angle; for use with 2.0mm PMMA or glass \ fiber; recessed mounting with tension clips.


Finishes Available:


Black (BL), White (WH), Chrome (CH)

Note Series - Compact Accent Fixtures



CUTOUT 16mm [0.622] (00 r.) (0





Specifications

- Fiber Type:PMMA or GlassFiber Sizes:2.0mm, 3.0mm, 4.5mm, 6.0mmFerrule Type:Indoor FerruleFixture Size:20mmLens Type:No LensBeam Angle:54°Mounting:Recessed, Tension ClipWeight:0.1 kg (0.22 lbs)
- Primary Material: UV-stable Thermoplastic

Specifications

Fiber Type:PMMA or GlassFiber Sizes:2.0mm, 3.0mm, 4.5mm, 6.0mmFerrule Type:Indoor FerruleFixture Size:20mmLens Type:No LensBeam Angle:27° - 29°Mounting:Recessed, Tension ClipWeight:0.1 kg (0.22 lbs)Primary Material:UV-stable Thermoplastic

Specifications

Fiber Type:PMMA or GlassFiber Sizes:2.0mm, 3.0mm, 4.5mm, 6.0mmFerrule Type:Indoor FerruleFixture Size:20mmLens Type:Diffusing Acrylic PrismBeam Angle:26°Mounting:Recessed, Tension ClipWeight:0.1 kg (0.22 lbs)Primary Material:UV-stable Thermoplastic

Specifications

Fiber Type:PMMA or GlassFiber Sizes:2.0mm, 3.0mm, 4.5mm, 6.0mmFerrule Type:Indoor FerruleFixture Size:20mmLens Type:15° Assymetric Acrylic PrismBeam Angle:70° / 45° @ 15°Mounting:Recessed, Tension ClipWeight:0.1 kg (0.22 lbs)Primary Material:UV-stable Thermoplastic

CAT. NO. NO - ID - 2 - 20 - NL -

BL WH CH/BL

Description:

Note Series (Roblon size 2 Wide) compact, fixedfocus accent fixture with no lens and 20mm outer diameter; wide 54° beam angle; accepts PMMA or glass fiber up to 6.0mm; recessed mounting with tension clips.

Finishes Available:

Black (BL), White (WH), Chrome/Black (CH/BL)

CAT. NO. NO - ID - 2 - 20 - 12M -

Description:

Note Series (Roblon size 2 Medium) compact, fixed-focus accent fixture with 12mm domed glass lens and 20mm outer diameter; medium 27° or 29° beam angle (fiber size dependent); accepts PMMA or glass fiber up to 6.0mm; recessed mounting with tension clips.

Finishes Available:

Black (BL), White (WH), Chrome (CH)6+6332

CAT. NO. NO - ID - 2 - 20 - DIFF -

Description:

Note Series (Roblon size 2 Diffuse) compact, fixed-focus decorative fixture with diffusing acrylic prism lens and 20mm outer diameter; 26° beam angle plus light flare on ceiling around fixture; accepts PMMA or glass fiber up to 6.0mm; recessed mounting with tension clips.

Finishes Available: Black (BL), White (WH), Chrome (CH)

CAT. NO. AV - ID - 2 - 20 - ASYM -

Description:

Note Series (Roblon size 2 Asymmetric) compact, fixed-focus accent fixture with asymmetric acrylic prism lens and 20mm outer diameter; 70° x 45° asymmetric beam spread tilted 15° for wall wash or step lighting; accepts PMMA or glass fiber up to 6.0mm; recessed mounting with tension clips.

Finishes Available:

Black (BL), White (WH), Chrome (CH)



BL

wн


СН


BL

wн

CH

Note Series - Compact Accent Fixtures





Specifications

iber Type: PMMA or Glass

Fiber Sizes: 8.0mm, 10.0mm Ferrule Type: Indoor Ferrule Fixture Size: 31mm Lens Type: No Lens Beam Angle: 54°

Mounting: Recessed, Tension Clip Weight: 0.1 kg (0.22 lbs)

Primary Material: UV-stable Thermoplastic

Specifications

iber Type: PMMA or Glass
Fiber Sizes: 8.0mm, 10.0mm
Ferrule Type: Indoor Ferrule
Fixture Size: 31mm
Lens Type: 20mm Domed Glass Lens
Beam Angle: 30° - 32°
Mounting: Recessed, Tension Clip
Weight: 0.1 kg (0.22 lbs)

Primary Material: UV-stable Thermoplastic

CAT. NO. NO - MC - 1 - 14 - NL -

Description:

Note Series (Roblon size 3 Wide) compact, fixedfocus accent fixture with no lens and 31mm outer diameter; wide 54° beam angle; for use with 8.0mm through 10.0mm PMMA or glass fiber; recessed mounting with tension clips.

Finishes Available:

Black (BL), White (WH), Chrome/Black (CH/BL)

CAT. NO. NO - MC - 1 - 14 - 7M -

Description:

BL WH CH

BL

wн

CH/BL

Note Series (Roblon size 3 Medium) compact, fixed-focus accent fixture with 20mm domed glass lens and 31mm outer diameter; medium 30° or 32° beam angle (fiber size dependent); for use with 8.0mm through 10.0mm PMMA or glass fiber; recessed mounting with tension clips.

Finishes Available:

Black (BL), White (WH), Chrome (CH)